


GALVANIZED SHEET



High-quality steel production facility



Cold-rolled galvanized sheet



Hot-rolled galvanized sheet

Material standard

JIS: SGCC, SGC340, SGCD1, SGCD2, SGC400, SGC440
EN: DX51D.

Surface quality: FA, FB, FC.

Thickness: 0.30~1.50 mm

Width: 900mm ~1500mm

Zinc plating: 120g/m²~270g/m² (Double surface plating)

Material standard

SGH340, SGH400, SGH440, SGHC.

Thickness: 1.80~3.0 mm

Width: 1500mm (Different width is available)

Zinc plating: 270g/m² (Double surface plating)

A WIDE RANGE OF GALVANIZED STEEL SHEETS

COLD-ROLLED GALVANIZED SHEET



Thickness:
0.30 mm~1.80 mm

Zinc-plating:
120 g/m² ~ 275 g/m²

Material:
SGCC, SGC340, DX51D,
ASTM A653

HOT-ROLLED GALVANIZED SHEET



Thickness:
1.80 mm~3.00 mm

Zinc-plating: \geq 270 g/m²

Material:
SGH340, SGHC, DX51D,

PACKAGING & SHIPMENT OF GALVANIZED SHEET

BY COIL



Cut into different length or narrow strip



BY WOODEN PALLET



BY SMALL COILS

